



[HOME](#) | [ABOUT US](#) | [PRODUCTS](#) | [HIRE](#) | [GALLERY](#) | [CONTACT US](#)



[home](#) > [products](#) > concrete preparation

## Concrete Mixers

Professional Machines for a high quality finish

### Concrete Mixers

[Click here](#) if you would like to print a pdf of this page [PDF document download](#).



**MiniMix 150**

**BB 350**

**BB 430**

**BM 175**

**PO 500**

**BIR 500**

**BIR 750**

**BIR 1000**

**DB Mobile Mixer**

**Dumper**



[home](#) > [products](#) > [concrete mixers](#) > [minimix 150](#)

## MiniMix 150

A range of mixers for the professional, rental and DIY users. These are quality, portable mixers for all small to medium building projects.



### MiniMix 150 PDF

Click here if you would like to print a pdf of this page [PDF document download](#).

### Benefits

- Light and portable the 150 mixes a full barrow load
- Used with the stand allows mixing and tipping
- Electric or petrol options available

### Specifications

Model	Minimix 150 Honda
Max Motor Power hp/kW)	2.5/18
Drum Volume (Litre)	130
Mixing Output (Litre)	90
Drum Speed (rpm)	24
Dimensions off stand	W 650 H 890 L 1220
Weight Complete (kg)	59.5





[home](#) > [products](#) > [concrete mixers](#) > [bb350](#)

## BB 350

### BB350 PDF

Click here if you would like to print a pdf of this page [PDF document download](#).



### Benefits

- Replaceable 6mm mixing tools
- Large drum mouth for loading
- Lifting eye on yoke
- Bolt on ring gear
- Foot tilt drum lock/release
- Easy to remove drum
- Simple maintenance

### Specifications

<b>Type</b>	<b>Side Tilting</b>
<b>Capacity</b>	Unmixed - 250 litres / Mixed - 175 litres
<b>Drum Mouth Diameter</b>	450mm
<b>Drum Capacity</b>	350 litres
<b>Drum Speed (rpm)</b>	22 - 26 rpm
<b>Mix Cycle</b>	3 minutes
<b>Output</b>	32m <sup>3</sup> per 9 hour day
<b>Discharge Height</b>	550mm
<b>Loading Height</b>	1390mm
<b>Dimensions</b>	Length: 1820mm Width: 1000mm

Height: 1500mm

**Track Width** 800mm

**Mass (without engine)** 220kg

Copyright © 2008 by Ian Dickie.  
Measuring Success by Customer Satisfaction



[home](#) > [products](#) > [concrete mixers](#) > [bb 430](#)

## BB 430

### BB430 PDF

Click here if you would like to print a pdf of this page [PDF document download](#).



### Benefits

- Trailer-type mounted on tow pneumatic tyres
- Reinforced collapsible towing bar
- Rigid steel tube frame
- Engine and drive gear completely housed

### Specifications

Model	BB 430
Rating electric motor	2
Rating petrol engine / diesel	430
Ready mixed concrete	340
Lenth	2000
Width	940
Height	1880
Weight (without motor)	320



[home](#) > [products](#) > [concrete mixers](#) > [bm 175](#)

## BM 175

### BM 175 PDF

Click here if you would like to print a pdf of this page [PDF document download](#).



### Benefits

- Chain and sprocket tilting mechanism
- Sturdy taper roller drum bearings
- Tilting shaft with renewable phos-bronze bushes
- Replaceable mixing tools
- Large drum mouth for loading
- Lift eye yoke
- Bolt on ring gear
- Foot tilt drum lock/release
- Easy to remove drum
- Ventilated canopy
- Simple maintenance

### Specifications

Type	Side Tilting
Capacity	Unmixed - 250 litres / Mixed - 175 litres
Drum Speed (rpm)	22 - 26 rpm
Mix Cycle	3 minutes
Output	32m <sup>3</sup> per 9 hour day
Discharge Height	550mm
Loading Height	1390mm
Dimensions	Length: 1820mm Width: 1000mm

Height: 16200mm

**Track Width**

800mm Standard  
1450mm Tow Mode

**Mass (without engine)**

295kg

Copyright © 2008 by Ian Dickie.  
Measuring Success by Customer Satisfaction



[home](#) > [products](#) > [concrete mixers](#) > [po 500](#)

## PO 500

### PO 500 PDF

[Click here](#) if you would like to print a pdf of this page [PDF document download](#).



### Benefits

- Tilting Drum Mixer – hydraulic hopper

### Specifications

Model	PO 500
Rating electric motor	3 Hp
Electric motor scraper	2.5 Hp
Rating petrol engine / diesel	7.5/8 Hp
Drum Capacity	500 lt
Ready mixed concrete	350 Lt
Water Tank Capacity	80 Lt
Lenth	2000
Width	1900
Height	2800
Weight (without scraper)	900



[HOME](#) | [ABOUT US](#) | [PRODUCTS](#) | [HIRE](#) | [GALLERY](#) | [CONTACT US](#)



[home](#) > [products](#) > [concrete mixers](#) > [bir 500](#) [bir 750](#) [bir 1000](#)

**BIR 500: BIR 750: BIR 1000**

**Concrete Mixers PDF**

[BIR 500 PDF](#)  
[BIR 750 PDF](#)  
[BIR 1000 PDF](#)



**Benefits**

- Reverse Drum mixers – hydraulic hopper

**Specifications**

Model	BIR 330	BIR 500	BIR 750	BIR 1000
Rating electric motor	4 Hp	5.5 Hp	7.5 Hp	10 Hp
Electric motor scraper	2.5 Hp	2.5 Hp	2.5 Hp	2.5 Hp
Rating petrol engine / diesel	7.5/10.2 Hp	14.3/22.5 Hp	22.5/28.5 Hp	34 Hp
Drum Capacity	330 Lt	500 Lt	750 Lt	1000 Lt
Ready mixed concrete	250 Lt	400 Lt	500 Lt	700 Lt
Water Tank Capacity	80 Lt	130 Lt	130 Lt	130 Lt
Lenth (mm)	2400	2800	2950	3200
Width (mm)	1650	2000	2000	2000
Height (mm)	2500	3000	3000	3000
Weight (without scraper)	900	1540	1700	1800



- [HOME](#)
- [ABOUT US](#)
- [PRODUCTS](#)
- [HIRE](#)
- [GALLERY](#)
- [CONTACT US](#)



[home](#) > [products](#) > [concrete mixers](#) > [db mobile mix](#)

## DB Mobile Mix

### DB Mobile Mix PDF

Click here if you would like to print a pdf of this page [PDF document download](#).



### DB 1200

The DB Series of mobile mixers use articulated frames, with centre pivots and are equipped with 4-wheel drive for ease of use under difficult operating conditions. A self loader, hydraulic grab feed hopper, handles and distributes concrete on any surface.

Other models available DB 2000, 2500, 3000, 4000

### Specifications

#### Technical Data

<b>Ready Mix Concrete</b>	950lt
<b>Bucket Capacity</b>	90lt
<b>Water Tank Capacity</b>	170lt
<b>UnLaden Weight</b>	2450kg
<b>Max Payload</b>	2050kg

#### Transmission

<b>Gear</b>	4x4
<b>Inverter</b>	Yes
<b>Max Speed</b>	22kph
<b>Max Gradient at full load</b>	40%
<b>Brakes</b>	Brake Drums

**Tyres** 9.50x16.5

**Engine**

**Max Rating hp** 36

**Cylinders** 3

**Cooling** Water

Copyright © 2008 by Ian Dickie.  
Measuring Success by Customer Satisfaction



[home](#) > [products](#) > [concrete mixers](#) > [dumpers](#)

## Dumpers

### Dumpers PDF

Click here if you would like to print a pdf of this page [PDF document download](#).



### Benefits

- 1000/NT/SN
- 4 Wheel drive
- Hydraulic frontal tipping
- Articulated chassis with centre pivot
- Hydraulic steering

### Specifications

<b>Skip capacities</b>	8 truck 1000 Lt heaper 1200 Lt
<b>Max payload</b>	2500 kg
<b>Unloaded weight</b>	1390 kg
<b>Transmission</b>	
<b>Forward and reverse gears</b>	4 x 4
<b>Single dry plate clutch</b>	350 Lt
<b>Mix speed</b>	25 km/h
<b>Brakes</b>	4 wheel hydraulic Foot



- [HOME](#)
- [ABOUT US](#)
- [PRODUCTS](#)
- [HIRE](#)
- [GALLERY](#)
- [CONTACT US](#)



[home](#) > [contact us](#)

## Contact Ian Dickie

### Request Product PDF

If you would like more information mailed to you about our Ian Dickie products, please just indicate which product

#### Cape Town

P.O.BOX  
103  
Eppindust  
7475  
Tel: (021)  
534-3431  
FAX: (021)  
534-3440

#### Johannesburg

P.O.BOX 1160  
Kempton Park  
1602  
Tel: (011) 609-  
4130/7  
FAX: (011) 452-  
3261

#### Port Elizabeth

P.O.BOX  
3543  
North End  
6056  
Tel: (041)  
451-1577  
FAX: (041)  
451-1607

#### Durban

P.O.BOX  
497  
Pinetown  
3600  
Tel: (031)  
709-1313  
FAX: (031)  
709-1316

#### Botswana

P.O.BOX  
81135  
Gaborone  
Tel: (09267)  
391-4491  
FAX: (09267)  
391-4968

## Send Email to Ian Dickie

Send To: Cape Town

\*Your Name:

\*Your E-mail:

Your Phone:

\*Your Country: South Africa

Company Name:

Message: