



[home](#) > [products](#) > high pressure jetting

High Pressure Jetting

Pressures ranging from 40 - 1400 bar, used for Cleaning, Jetting, Demolition and Wet Sand Blasting. Powered by Electrical, Petrol or Diesel engines.

High Pressure Jetting

[Click here](#) if you would like to print a pdf of this page [PDF document download](#).



HP Model

[More »](#)



HR Model

[More »](#)

HD Model

[More »](#)



HE Model

[More »](#)

Copyright © 2008 by Ian Dickie.
Measuring Success by Customer Satisfaction



[home](#) > [products](#) > [high pressure jetting](#) > [hd-he-hp-hr](#)

HD Model

High pressure Cleaning systems



Standard Features

- Interpump heavy duty triplex plunger pumps
- Unloader valve system
- In-line filter, (easy to clean)
- Trigger operated gun
- 900mm lance
- Hardened fan or jet nozzles
- Glycerine filled pressure gauge
- Robust steel chassis
- Two solid rubber tyred wheels
- 10m High pressure hose
- Hose storage rack
- D.O.L. starter on electric models
- Complete technical and spares support

Optional Features

- Rotojet rotary nozzle (Doubles the effective cleaning rate)
- Sand blast kit
- Chemical injection kit
- Hose reel
- Extra 10m lengths of hose
- Nozzles for tube and pipe cleaning
- High speed trailers
- Fixed installations with pipework and take off points

HE Model Roof Rat

High pressure Cleaning systems

Download HD HE HP HR Model PDF

- [HD-HE-HP-HR.pdf](#)
- [HD Model](#)
- [HE Model](#)
- [HP Model](#)
- [HR Model](#)



Standard Features

- Interpump heavy duty triplex plunger pumps
 - Unloader valve system
 - In-line filter, (easy to clean)
 - Trigger operated gun
 - 900mm lance
 - Hardened fan or jet nozzles
 - Glycerine filled pressure gauge
 - Robust steel chassis
 - 10m High pressure hose
 - Hose storage rack
 - D.O.L. starter on electric models
 - Complete technical and spares support
-

Optional Features

- Rotojet rotary nozzle (Doubles the effective cleaning rate)
 - Sand blast kit
 - Chemical injection kit
 - Hose reel
 - Extra 10m lengths of hose
 - Nozzles for tube and pipe cleaning
 - High speed trailers
 - Fixed installations with pipework and take off points
-

HP Model

High pressure Cleaning systems



Standard Features


- Interpump heavy duty triplex plunger pumps
 - Unloader valve system
 - In-line filter, (easy to clean)
 - Trigger operated gun
 - 900mm lance
 - Hardened fan or jet nozzles
 - Glycerine filled pressure gauge
 - Robust steel chassis
 - Two solid rubber tyred wheels
 - 10m High pressure hose
 - Hose storage rack
 - D.O.L. starter on electric models
 - Complete technical and spares support
-

Optional Features

- Rotojet rotary nozzle (Doubles the effective cleaning rate)
- Sand blast kit
- Chemical injection kit
- Hose reel
- Extra 10m lengths of hose
- Nozzles for tube and pipe cleaning
- High speed trailers
- Fixed installations with pipework and take off points

HR Model

High pressure Cleaning systems



Standard Features

- Interpump heavy duty triplex plunger pumps
- Unloader valve system
- In-line filter, (easy to clean)
- Trigger operated gun
- 900mm lance
- Hardened fan or jet nozzles
- Glycerine filled pressure gauge
- Robust steel chassis
- Four solid rubber tyred wheels
- 10m High pressure hose
- Hose storage rack
- D.O.L. starter on electric models
- Complete technical and spares support

Optional Features

- Rotojet rotary nozzle (Doubles the effective cleaning rate)
- Sand blast kit
- Chemical injection kit
- Hose reel
- Extra 10m lengths of hose
- Nozzles for tube and pipe cleaning
- High speed trailers
- Fixed installations with pipework and take off points

Specifications

Model	Roof Rat	H11/120	H15/150	H15/200	H18/200	H21/150	H21/200	H15/250	H18/350	H25/400
Bar	130	120	150	200	200	150	200	250	350	400
Flow [L/min]	10	11	15	15	18	21	21	15	18	25
KW Required	2.2	2.2;	4	5.5	7.5	5.5	7.5	7.5	12	20
Drive options	220V	Available in either 220V, 380V & 525V Electric Motor -Petrol - Diesel - Pneumatic - Hydraulic								400
Dimensions (cm)	L :56 W: 54	L :90 W: 54	L :90 W: 54	L :100 W: 54	L :100 W: 54	L :100 W: 62	L :100 W: 62	L :100 W: 54	L :180 W: 120	L :200 W: 120

	H :50	H :50	H :74	H :74	H :74	H :94	H :94	H :74	H :100	H :120
Weight in Kg	32	65	91	98	98	98	110	98	150	220

Special builds available from 10 - 1000 bar

Copyright © 2008 by Ian Dickie.
Measuring Success by Customer Satisfaction



[HOME](#) | [ABOUT US](#) | [PRODUCTS](#) | [HIRE](#) | [GALLERY](#) | [CONTACT US](#)



[home](#) > [contact us](#)

Contact Ian Dickie

Request Product PDF

If you would like more information mailed to you about our Ian Dickie products, please just indicate which product

Cape Town

P.O.BOX 103
Eppindust 7475
Tel: (021) 534-3431
FAX: (021) 534-3440

Johannesburg

P.O.BOX 1160
Kempton Park 1602
Tel: (011) 609-4130/7
FAX: (011) 452-3261

Port Elizabeth

P.O.BOX 3543
North End 6056
Tel: (041) 451-1577
FAX: (041) 451-1607

Durban

P.O.BOX 497
Pinetown 3600
Tel: (031) 709-1313
FAX: (031) 709-1316

Botswana

P.O.BOX 81135
Gaborone
Tel: (09267) 391-4491
FAX: (09267) 391-4968

Send Email to Ian Dickie

Send To: Cape Town

*Your Name:

*Your E-mail:

Your Phone:

*Your Country: South Africa

Company Name:

Message: